

NINDS CDE Notice of Copyright
Alcohol Use Disorders Identification Test Self-Report Version (AUDIT)

Availability:	The instrument is freely available here: Alcohol Use Disorders Identification Test Self Report Link
Classification:	Supplemental: Spinal Cord Injury (SCI), SCI-Pediatric (for ages 14 and older) and Traumatic Brain Injury (TBI)
Short Description of Instrument:	<p>The Alcohol Use Disorders Identification Test (AUDIT) consists of 10 items assessing the extent of excessive drinking, signs of dependence and harmful use in the past year.</p> <p>The AUDIT is a self-report measure that can be administered via interview or paper/pencil. Administration time is generally 2-4 minutes.</p>
Scoring:	<p>Scores range from 0 to 40. A total score of 8 or more is used to suggest the possibility of harmful use. Higher scores indicate greater risk for an alcohol-related problems.</p> <p>Self-report measure that can be administered via interview or paper/pencil.</p>
References:	<p>References:</p> <p>Allen, J. P., Litten, R. Z., Fertig, J. B., & Babor, T. (1997). A review of research on the Alcohol Use Disorders Identification Test (AUDIT). <i>Alcohol Clin Exp Res</i>, 21(4), 613–619.</p> <p>Knight, J. R., Sherritt, L., Harris, S. K., Gates, E. C., & Chang, G. (2003). Validity of brief alcohol screening tests among adolescents: a comparison of the AUDIT, POSIT, CAGE, and CRAFFT. <i>Alcohol Clin Exp Res</i>, 27(1), 67–73.</p> <p>Saunders, J. B., Aasland, O. G., Babor, T. F., de la Fuente, J. R., & Grant, M. (1993). Development of the Alcohol Use Disorders Identification Test (AUDIT): WHO Collaborative Project on Early Detection of Persons with Harmful Alcohol Consumption--II. <i>Addiction</i>, 88(6), 791–804.</p>